

Application	Bundle ID	Item	Path	Finding	Notes
Phantom	app.phantom	1	private\var\mobile\Containers\Data\Application\<ApplicationUUID>\Library\SplashBoard\Snapshots\app.phantom - {DEFAULT_GROUP}\3EE53681-0926-4F63-92DF-616141D22310@3x.ktx	Phantom app wallpaper	
		2	\private\var\mobile\Containers\Data\Application\<ApplicationUUID>\Library\SplashBoard\Snapshots\sceneID:app.phantom-default\BD02ABEC-4527-48BD-B4A0-0E979FF79694@3x.ktx	Photo of wallet with balance	
		3	\private\var\mobile\Containers\Data\Application\<ApplicationUUID>\Library\SplashBoard\Snapshots\app.phantom - {DEFAULT_GROUP}\downscaled\187DB4AD-AE75-4C63-994C-D0AD0A737E2B@3x.ktx	Phantom app wallpaper	
		4	\private\var\mobile\Containers\Data\Application\<ApplicationUUID>\Library\SplashBoard\Snapshots\sceneID:app.phantom-default\downscaled\8DABDDE0-3EAF-4A97-8619-62A5644A2FC6@3x.ktx	Photo of wallet with balance	
		5	\private\var\db\diagnostics\logdata.statistics.1.txt	Logs of Phantom being installed on device	
		6	\private\var\mobile\Containers\Shared\AppGroup\<ApplicationUUID>\File Provider Storage\state-log-2024-08-09T12-18-34_PhantomLogs.txt	Phantom Logs associated with Phantom account: Account Identifier Ethereum Address Solana Address Bitcoin Address Polygon Address	
		7	private\var\mobile\Containers\Data\Application\<ApplicationUUID>\Documents\mmkv\mmkv.default	Phantom Logs associated with Phantom account: Account Identifier Ethereum Address Solana Address Bitcoin Address Polygon Address wallet address with the corresponding amount description of app recipient address with the corresponding amount Solano validator address transaction ID. Who sent, received, amount, type, network fee, time, who's paying	Remove first 40 bytes and read the rest as JSON file
		8	private\var\mobile\Containers\Data\Application\<ApplicationUUID>\Library\Caches\app.phantom\Cache.db	Wallet addresses Wallet types Wallet amount	Database -> cfurl_cache_blob_data table -> "request_object" column -> reparse Blob as Plist -> Reparse "__CFURLRequestNullTokenString__" data as JSON Database -> cfurl_cache_receiver_data table -> "receiver_data" column -> reparse Blob as JSON
		9	private\var\mobile\Containers\Data\Application\<ApplicationUUID>\Library\rl_persistence.sqlite	Wallet address Account ID	
		10	private\var\mobile\Containers\Data\Application\<ApplicationUUID>\Documents\SQLite\simpleStorage.db	Wallet address	
Uniswap	com.uniswap.mobile	1	private\var\mobile\Containers\Data\Application\<ApplicationUUID>\Library\Caches\com.uniswap.mobile\Cache.db	Transaction recipient address	Database -> cfurl_cache_blob_data table -> "request_object" column -> reparse Blob as Plist -> Reparse "__CFURLString__" data as JSON
		2	private\var\mobile\Containers\Data\Application\<ApplicationUUID>\Library\Caches\com.datadoghq\v2\f5da9c34155155fa15554148a8a2d145170e0a082ddf9c39ea3a198b2bb947\rum\v2\745365746195	Address from receiving wallet	
		3	private\var\mobile\Containers\Data\Application\<ApplicationUUID>\Library\Caches\io.sentry\99387cfe99a513e350ff41b6ea6377bf986af37b\breadcrumbs.1.state	Wallet addresses	View as JSON in Notepad++. AXIOM and RabbitHole will not parse it out.
		4	private\var\mobile\Containers\Data\Application\<ApplicationUUID>\Library\Caches\io.sentry\99387cfe99a513e350ff41b6ea6377bf986af37b\previous.breadcrumbs.1.state	transaction notification with wallet address and date time	View as JSON in Notepad++. AXIOM and RabbitHole will not parse it out.

Application	Bundle ID	Item	Path	Finding	Notes
		5	private\var\mobile\Containers\Data\Application\<ApplicationUUID>\Library\Caches\com.uniswap.mobile\fsCachedData\250F9C89-D739-4ECB-AE2C-CBDBFAA37905	Wallet of account receiving the money Transaction	View as JSON in Notepad++. "id" is Base64 encoded. It contains the transaction ID
		6	private\var\mobile\Containers\Data\Application\<ApplicationUUID>\SystemData\com.apple.SafariViewService\Library\WebKit\WebsiteData\NetworkCache\Version 16\Records\29E67EBB1C6F2569C4F72B182605B83B31C7C679\Resource\9A4D4FC2FD3096DA4012BDD24BAF1E6F822C582C-blob	Location of wallets receiving the cryptocurrency Transaction hashes	View in HTML format
		7	private\var\mobile\Containers\Shared\AppGroup\<ApplicationUUID>\Library\Preferences\group.com.uniswap.widgets.plist	Wallet addresses	
SafePal	walletapp.safepal.io	1	private\var\mobile\Containers\Data\Application\<ApplicationUUID>\Documents\safepal	Wallet address Tx Hash with history. Time, sender, receiver	Open up SQLite
		2	private\var\mobile\Containers\Data\Application\<ApplicationUUID>\Library\SplashBoard\Snapshots\sceneID:walletapp.safepal.io-default\AC4D5B78-B626-40A4-BD10-C9830A2B7BA0@3x.ktx private\var\mobile\Containers\Data\Application\<ApplicationUUID>\Library\SplashBoard\Snapshots\sceneID:walletapp.safepal.io-default\downscaled\63EE6185-9771-4431-8A8A-FCB9AF061A5C@3x.ktx	Screenshot of wallet	Use ios_ktx2.png
		3	private\var\mobile\Containers\Data\Application\<ApplicationUUID>\Library\SplashBoard\Snapshots\sceneID:walletapp.safepal.io-default\D97EDE88-FBF2-4246-8D63-BDFF52566BA5@3x.ktx private\var\mobile\Containers\Data\Application\<ApplicationUUID>\Library\SplashBoard\Snapshots\sceneID:walletapp.safepal.io-default\downscaled\C6B1BA32-0561-44E2-9C45-B647512F9B76@3x.ktx	Screenshot of wallet	Use ios_ktx2.png
		4	private\var\mobile\Containers\Data\Application\<ApplicationUUID>\Library\SplashBoard\Snapshots\walletapp.safepal.io - {DEFAULT GROUP}\downscaled\D4109B16-7E39-4771-8EEE-575A32F5BC44@3x.ktx	SafePal Wallpaper	
		5	private\var\mobile\Containers\Data\Application\<ApplicationUUID>\tmp\	Screenshot of scanning the QR code	
Exodus	exodus-movement.exodus	1	private\var\mobile\Containers\Data\Application\<Application UUID>\Application Support\exodus-movement.exodus\RCTAsyncLocalStorage_V1\manifest.json	Found transaction hash. Sender and amount	
		2	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Caches\exodus-movement.exodus\Cache.db	Found sender address Wallet address	Database -> cfurl_cache_blob_data table -> "request_object" column -> reparse Blob as Plist -> Reparse "__CFURLString__" as Text/Web address
		3	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Caches\exodus-movement.exodus\fsCachedData\	Contains various coins and their value	
Metamask	io.metamask.MetaMask	1	private\var\mobile\Containers\Data\Application\<Application UUID>\Documents\persistStore\persist-root	Wallet addresses	Read as JSON -> further embedded JSON parsing
		2	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Caches\io.metamask.MetaMask\Cache.db	Wallet addresses. In the WAL file as well	
		3	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Caches\io.sentry\4e573d0d2511306cf9b3e0c0451da649f4b3e82c\breadcrumbs.1.state	Wallet addresses	
		4	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Caches\io.sentry\4e573d0d2511306cf9b3e0c0451da649f4b3e82c\previous.breadcrumbs.2.state	Wallet addresses	
		5	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Caches\io.sentry\4e573d0d2511306cf9b3e0c0451da649f4b3e82c\previous.breadcrumbs.1.state	Wallet addresses	
Coinbase	org.toshi.distribution	1	private\var\mobile\Containers\Data\Application\<Application UUID>\Documents\default\wallet-rn-v2.sqlite	address and transaction hash, wallet creation date	
		2	private\var\mobile\Containers\Data\Application\<Application UUID>\Documents\mmkv\CBStore.plaintext	Primary user address	
		3	private\var\mobile\Containers\Data\Application\<Application UUID>\Documents\mmkv\mmkv-persistor	Geoavailability checker	
		4	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Application Support\com.bugsnap.Bugsnap\org.toshi.distribution\v1\system_state.json	Checks if device is jailbroken	
		5	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Application Support\Google\FirebaseInstanceId\g-checkin.plist	Google folder with Firebase Messaging, Android ID	

Application	Bundle ID	Item	Path	Finding	Notes
Guarda	com.crypto.multiwallet	1	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Application Support\com.crypto.multiwallet\RCTAsyncLocalStorage_V1\817e01dfc9ca7287f4e9a0f6a1c6830b	Contains backup phrase. Also contains hidden wallet information	view JSON->JSON on the "backup" field
		2	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Application Support\Google\FirebaseInstanceId\g-checkin.plist	Android ID and Device ID	
		3	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Caches\com.crypto.multiwallet\Cache.db	Contains wallet address used, total received, total sent, transaction hash	
		4	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Caches\com.crypto.multiwallet\fsCachedData\	Cached coin data	
		5	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\SplashBoard\Snapshots\	ktx files. Shows app wallpaper and app settings screenshot	
MoonPay	com.moonpay.app	1	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Application Support\com.moonpay.app\RCTAsyncLocalStorage_V1\91ec1f9324753048c0096d036a694f86	email address, name, creation time,	
		2	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Application Support\com.moonpay.app\RCTAsyncLocalStorage_V1\b6fc409153bed742ecb0853f303fb9f1	Wallet address and balance, location address	
		3	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Application Support\com.braze.core.persistence\data\ace60e6\users\bcebec63-5d39-43f5-b878-d46a50a49800_eee4964\session.json	User ID Session datetime	
		4	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Application Support\Google\FirebaseInstanceId\g-checkin.plist	Android ID and Timestamp	
		5	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Caches\com.moonpay.app\Cache.db	BTC, Ethereum, Solana	
		6	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Caches\com.moonpay.app\fsCachedData\F58FB0D1-D3AB-4DCD-BEDD-25250934E89F	Coin pricing at time of phone syncing and shows app usage	
		7	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Caches\io.sentry\d1b24b1a17522b6cd8165c795db6b9e4fd3a7b09\breadcrumbs.1.state	Wallet addresses	
		8	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Caches\io.sentry\d1b24b1a17522b6cd8165c795db6b9e4fd3a7b09\breadcrumbs.2.state	Wallet addresses	
		9	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\SplashBoard\Snapshots\sceneID:com.moonpay.app-default\01619737-7D0B-416E-BEA9-1D4AA572918A@3x.ktx private\var\mobile\Containers\Data\Application\<Application UUID>\Library\SplashBoard\Snapshots\sceneID:com.moonpay.app-default\93740F62-8CBA-489B-8880-91CED343A5DE@3x.ktx	Screenshot of recovery phrase	Use ios_ktx2.png
		10	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\SplashBoard\Snapshots\sceneID:com.moonpay.app-default\downscaled\0FA4BC85-7E96-4735-A303-C6B041E352CA@3x.ktx private\var\mobile\Containers\Data\Application\<Application UUID>\Library\SplashBoard\Snapshots\sceneID:com.moonpay.app-default\downscaled\5581BD44-889D-4454-90E0-9956FD580FC7@3x.ktx	Screenshot of recovery phrase	Use ios_ktx2.png
		11	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\WebKit\WebsiteData\LocalStorage\https_buy.moonpay.com_0.localstorage	User details. Birthday, name, email, nationality, ip country, state	SQLite -> key "ajs_user_traits", parse the value as JSON
Coincola	com.coincola.beta	1	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Saved Application State\com.coincola.beta - {DEFAULT GROUP}\BFE8635E-8C9F-47F9-B53B-B045A3022406@3x.ktx	Coincola wallpaper	

Application	Bundle ID	Item	Path	Finding	Notes
eToro	com.etoro.wallet	1	\private\var\mobile\Containers\Data\Application\<Application UUID>\Library\SplashBoard\Snapshots\sceneID:com.etoro.wallet-default\40687AE9- B07E-4D36-B8D2-44C1BE3C293E@3x.ktx \private\var\mobile\Containers\Data\Application\<Application UUID>\Library\SplashBoard\Snapshots\sceneID:com.etoro.wallet-default\B95A947D- 0D28-43B8-9841-C3F116C23848@3x.ktx	Screenshot of BTC balance	Use ios_ktx2.png
		2	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Caches\WebKit\NetworkCache\Version 16\Records\0E52D5A5CB46EAB388D4A7A4DA98DF65DDB29539\Resource\B928360B 734B602E77E1D25073B0202A1F61D9E7-blob	Various currency options available	
Bither/Bitpie	net.bither/com.bitpie. wallet	1	\private\var\mobile\Containers\Data\Application\<Application UUID>\Library\SplashBoard\Snapshots\net.bither - {DEFAULT GROUP}\C6DB610D- F0C5-4726-9799-F3499310B8A9@3x.ktx \private\var\mobile\Containers\Data\Application\<Application UUID>\Library\SplashBoard\Snapshots\net.bither - {DEFAULT GROUP}\A2CF7054- 5B3A-4C41-9F27-5543346B8729@3x.ktx	Bither wallpaper	
		2	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\systemcoins.sqlite	Contains: balance, coin, contract address	
		3	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\bcoins.sqlite	Shows Zcash balance	
		4	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\buser.sqlite	transaction hash, mobile device information, app build number	
		5	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\bflowtxs. sqlite	Transaction address, transaction hash, value, transaction date	
		6	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Caches\com. bitpie.wallet\fsCachedData\D3FFB6B0-54A0-4CF1-B94C-8BE1CC8B87EB	Contract addresses for coin wallets that exist. Coins that don't have existence, have "null" values.	
		7	private\var\mobile\Containers\Data\Application\<Application UUID>\Library\Preferences\com.bitpie.wallet.plist	Contains user address, coin information, balance, etc	
Rainbow	me.rainbow	1	\private\var\mobile\Containers\Data\Application\<ApplicationUUID>\Library\Application Support\Google\FirebaseInstanceId\g-checkin.plist	Android ID and registration time	

Application	Package Name	Item	Path	Finding	Notes
Unstoppable Wallet	io.horizontalsystems.bankwallet	1	\data\user\0\io.horizontalsystems.bankwallet\databases\dbBankWallet	Wallet data (Address, AccountID, Balance)	Open in SQLite
		2	\data\data\io.horizontalsystems.bankwallet\databases\Ethereum-1-e25c3f22-107a-4f5a-8d89-f687e3f2810b-txs	Transaction data	
		3	\data\data\io.horizontalsystems.bankwallet\databases\Ethereum-1-b2499dc7-6c4a-4670-960a-fdb9533265d9-txs	Transaction data	
		4	\data\data\com.android.vending\databases\library.db	Account data (email address)	Open in SQLite
		5	\data\user\0\com.google.android.apps.nexuslauncher\databases/app_icons.db	Application icon	Open in SQLite
Coinbase Wallet	org.toshi	1	\data\data\org.toshi\app_webview\Default\Local Storage\leveladb\000003.log	Unused Wallet Address	Open in Hex Editor
		2	\data\data\org.toshi\files\default\wallet-rn-v2.sqlite	Wallet address and Transaction History	Open in SQLite
		3	\data\data\org.toshi\app_webview\last-exit-info	Application Exit Timestamp	
		4	\data\data\org.toshi\files\com.google.firebase.crashlytics.files.v2:org.toshi\open-sessions\66BD3FDD02220001055FF38C5A3A186A\native\app.json	UUID	
		5	\data\data\org.toshi\files\mmkv\CBStore.plaintext	IP Address and transaction data	
		6	\data\media\0\Pictures\Screenshots\Screenshot_20240808-105351.png	Transaction screenshot	
		7	\data\data\com.android.chrome\cache\Offline	Transaction data	
		8	\data\user\0\org.toshi\cache\http-cache\47b6a1ef6418929850d738acbddfdcae.0	Transaction data	
		9	\data\user\0\org.toshi\cache\http-cache\9daa4498c0c764a6839ddf8e9e56896f.0	Transaction data	
		10	\data\user\0\com.google.android.apps.nexuslauncher\databases/app_icons.db	Application icon	
Zengo Wallet	com.zengo.wallet	1	\data\data\com.zengo.wallet\databases\RKStorage	User attributes (email address) and account balance	Open in SQLite
		2	\data\data\com.zengo.wallet\shared_prefs\react-native.xml	User attributes (email address) and master key	
		3	\data\data\com.zengo.wallet\cache\purchasely\user_attributes.json	Registration date	Open in JSON viewer
		4	\data\data\com.zengo.wallet\files\AdjustIoActivityState	UUID	
		5	\data\data\com.zengo.wallet\app_webview\pref_store	Installation date	
		6	\data\user\0\com.zengo.wallet\cache\http-cache\b8622c639ae193dbac4f4dda9c94a772.1\b8622c639ae193dbac4f4dda9c94a772.1\0	Public Key	
		7	\data\data\com.zengo.wallet\cache\http-cache\dc90777a02e1edeb49602568cf060b64.1\dc90777a02e1edeb49602568cf060b64.1\0	Customer ID and Banking payment email	
		8	\data\data\com.zengo.wallet\cache\WebView\Default\HTTPCache\Cache_Data\0f418e80fb6f11ba_0	Customer ID and Banking payment email	
		9	\data\user\0\com.google.android.apps.nexuslauncher\databases/app_icons.db	Application icon	
eToro Wallet	com.etoro.wallet	1	\data\data\com.etoro.wallet\app_webview\Default\Cookies	User email address	Open in SQLite
		2	\data\user\0\com.etoro.wallet\app_webview\Default\Local Storage\leveladb\000003.log	Username	Open in SQLite
		3	\data\data\com.etoro.wallet\app_webview\last-exit-info	Last application login timestamp	
		4	\data\data\com.android.vending\databases\library.db	Install date	Open in SQLite
		5	\data\user\0\com.etoro.wallet\cache\WebView\Default\HTTPCache\Cache_Data\7014620de1d761c3_0	Wallet ID and Session GUID	
		6	\data\user\0\com.google.android.apps.nexuslauncher\databases/app_icons.db	Application icon	
Guarda Wallet	com.crypto.multiwallet	1	\data\data\com.crypto.multiwallet\databases\RKStorage	Seed Phrase, password, private key	Open in SQLite
		2	\data\data\com.crypto.multiwallet\files\com.google.firebase.crashlytics.files.v2:com.crypto.multiwallet\open-sessions\66BD4CF1013700012FDD8A14E11ADBFF\native\app.json	UUID	
		3	\data\data\com.crypto.multiwallet\files\mmkv\mmkv.default	Wallet creation and transaction data	
		4	\data\data\com.crypto.multiwallet\cache\http-cache\0cd6ccf47c92ac61c87bd640e1efdd16.0	Account address	
		5	\data\user\0\com.crypto.multiwallet\cache\http-cache\5489863c42dbec239d991d8a0cf3335.0	Account address	
		6	\data\data\com.crypto.multiwallet\cache\http-cache\9f14ac65cf54fb29b6252af5edfdd2ce.0	Account address	
		7	\data\user\0\com.google.android.apps.nexuslauncher\databases/app_icons.db	Application icon	

Application	Package Name	Item	Path	Finding	Notes
Phantom Wallet	app.phantom.com	1	/LogicalFileSet1/AndroidFullyLoggedInCrypto-001.tar/data/data/app.phantom/files/mmkv/mmkv.default	Wallet address, amounts, and type	
		2	/LogicalFileSet1/AndroidFullyLoggedInCrypto-001.tar/data/data/app.phantom/files/SQLite/simpleStorage.db	Wallet address and Public Key	Open in SQLite
		3	/LogicalFileSet1/AndroidFullyLoggedInCrypto-001.tar/data/data/app.phantom/no_backup/expo_installation_uuid.txt	UUID	
		4	\data\user\0\com.google.android.apps.nexuslauncher\databases\app_icons.db	Application icon	
Moonpay Wallet	com.moonpay	1	\data\user\0\com.android.vending\databases\library.db	User email	Open in SQLite
		2	User profile data: \data\data\com.android.chrome\app_chrome\Default\LocalStorage\leveldb\000006.log	User attributes (name, location)	
		3	Logical Fileset\Webhistory	Wallet address	
		4	https://play.google.com/store/apps/details?id=com.moonpay	Application icon	
Rainbow Wallet	me.rainbow	1	\data\data\me.rainbow\files\mmkv\rainbowKeychainLocalStorage	Wallet address and balance data	
		2	\data\data\me.rainbow\files\mmkv\mmkv.default		
		3	data\data\me.rainbow\files\com.google.firebase.crashlytics.files.v2:me.rainbow\open-sessions\66B4DB73010200013B7AA1E868FB8F26\native\app.json	UUID, Installation date, Country	
		4	\data\data\me.rainbow\cache\sentry\401bcfb4f16aaa63549e26396ff61f3422791db\scope-cache\user.json	Wallet address	
		5	\data\misc\keystore\persistent.sqlite	Wallet address	Open in SQLite
		6	\data\user\0\com.google.android.apps.nexuslauncher\databases\app_icons.db	Application icon	
Metamask Wallet	io.metamask	1	\data\data\io.metamask\cache\WebView\Default\HTTPCache\Cache_Data\35197e4d9453e19e_0	Account data	
		2	\data\user\0\io.metamask\cache\WebView\Default\HTTPCache\Cache_Data\0872b6e62e813712_0	Account data	
		3	\data\data\io.metamask\cache\WebView\Default\HTTPCache\Cache_Data\2ad33e353f29b3bb_0	Wallet address	
		4	\data\data\io.metamask\app_webview\Default\LocalStorage\leveldb\000005.ldb	Wallet addresses	
		5	\data\user\0\io.metamask\files\persistStore\persist-root	Wallet addresses and balance	
		6	\data\data\io.metamask\cache\http-cache\45f004a609ad9b374b009282fd83e560.0	Account address	
		7	\data\user\0\com.android.chrome\cache\Cache\Cache_Data\7db98ccfaee8fba6_0	Transaction data	
		8	\data\user\0\com.google.android.apps.nexuslauncher\databases\app_icons.db	Account icon	
OKX Wallet	com.okinc.okex.gp	1	\data\user\0\com.android.vending\databases\library.db	Account email	Open in SQLite
		2	\data\data\io.horizontalssystem.bankwallet\databases\dbBankWallet	Wallet address	Open in SQLite
		3	https://play.google.com/store/apps/details?id=com.okinc.okex.gp	Applicaton icon	
Gemini	com.gemini.android.app	1	\data\user\0\com.android.vending\databases\library.db	User data	Open in SQLite
		2	\data\data\io.horizontalssystem.bankwallet\databases\dbBankWallet	Wallet address	Open in SQLite
		3	https://play.google.com/store/apps/details?id=com.gemini.android.app	Applicaton icon	
Exodus	exodusmovement.exodus	1	\data\data\com.android.vending\databases\library.db	Account email	Open in SQLite
		2	https://play.google.com/store/apps/details?id=exodusmovement.exodus	Applicaton icon	